UCSD Grade 8 Math Curriculum

UCSD Grade 8 N	Aath Curriculum
Iowa Core Dom	ains (Blue Print)
Iowa Core Stand	lards (Red Print)
Iowa Core Standards Clusters	UCSD I Can Statements for Iowa Core
	ystem Domain
	nal, and approximate them by rational numbers.
1. Know that numbers that are not rational are called irrational.	I can identify and estimate irrational numbers.
Understand informally that every number has a decimal expansion; for	I can convert decimals to rational numbers (fractions).
rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a	
Use rational approximations of irrational numbers to compare the	I can estimate the value of an irrational number on a number line.
size of irrational numbers, locate them approximately on a number line	Transfer on a number line.
diagram, and estimate the value of expressions (e.g., π 2). For example,	
by truncating the decimal expansion of $\sqrt{2}$, show that $\sqrt{2}$ is between 1	
and 2, then between 1.4 and 1.5, and explain how to continue on to get	
better approximations. (8.NS.2) DOK 1,2	
	Equations Domain
	nd integer exponents.
1. Know and apply the properties of integer exponents to generate	I can differentiate and apply exponential rules to solve problems
equivalent numerical expressions. For example, $32 \times 3-5 = 3-3 = 1/33$	
= 1/27. (8.EE.1) DOK 1	
2. Use square root and cube root symbols to represent solutions to	I can calculate square roots and cubed root equations.
equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational	I can distinguish between a rational or irrational square roots.
number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational. (8.FE.2) DOK 1	
3. Use numbers expressed in the form of a single digit times an integer	I can transform numbers between standard form and scientific
power of 10 to estimate very large or very small quantities, and to	notation.
express how many times as much one is than the other. For example,	I can calculate relative values of numbers in scientific notation (how
estimate the population of the United States as 3 × 108 and the	many times greater).
population of the world as 7 × 109, and determine that the world	
population is more than 20 times larger. (8.EE.3) DOK 1,2	
4. Dougous appetions with numbers supposed in establish	I can solve problems by multiplying and dividing scientific notation
4. Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are	I can apply scientific notation to real world math problems.
used. Use scientific notation and choose units of appropriate size for	real apply scientific notation to real world math problems.
measurements of very large or very small quantities (e.g., use	
millimeters per year for seafloor spreading). Interpret scientific	
notation that has been generated by technology, (8.EE.4) DOK 1.2	
Understand the connections between propor	tional relationships, lines, and linear equations.
5. Graph proportional relationships, interpreting the unit rate as the	I can graph relations using the slope of a line
slope of the graph. Compare two different proportional relationships	I can compare and interpret two linear equations using a graph
represented in different ways. For example, compare a distance-time	
graph to a distance-time equation to determine which of two moving	
objects has greater speed. (8.EE.5) DOK 1,2,3	I can compare civilar triangles to combin why the class is the comp
Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane;	between any two distinct points on a non-vertical line in a coordinate
derive the equation y = mx for a line through the origin and the	plan.
equation $y = mx + b$ for a line intercepting the vertical axis at b. (8.EE.6)	1.
DOK 1,2,3	real construct the equation for a fine using stope.
	l pairs of simultaneous linear equations.
7. Solve linear equations in one variable. (8.EE.7) DOK 1,2	I can solve equations with one, infinitely many, or no solution
	I can solve equations with rational coefficients.
	I can solve equations requiring expansion of expressions through the
	Distributive property.
	I can solve equations requiring combining of like terms.
8. Analyze and solve pairs of simultaneous linear equations. (8.EE8)	I can solve systems of equations by graphing.
DOK 1,2,3	I can solve systems of equations by substitution.
	s Domain
	d compare functions.
Define, evaluate, an	a compare functions

1. Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output. (8.F.1) DOK 1.2 2. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use function to model relationships between quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify the transformation of a figure and state the coordinate after it has been transformed.
consisting of an input and the corresponding output. (8.F.1) DOK 1,2 2. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not function to model a linear relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2
2. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationship between quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of a line. I can create a function rule to represent the graph of a line. I can create a function rule to represent the graph of a line. I can create a function from the same set of data.
way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of a line. I can calculate and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify the transformation of a figure and state the coordinate after it has been transformed.
descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can identify and apply criteria to determine if an equation is a linear function. I can identify and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed be graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can calculate and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can except the initial value from a given situation. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of
table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not benchmark: Use functions to model a linear relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2
expression, determine which function has the greater rate of change. (8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of a line. I can calculate and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can calculate and interpret the rate of change from a given situation. I can adescribe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. I can identify and apply criteria to determine if an equation is a linear function.
(8.F.2) DOK 1,2 3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of a line. I can calculate and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. I can identify and apply criteria to determine if an equation is a linear function.
3. Interpret the equation y = mx + b as defining a linear function, whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function. I can identify and apply criteria to determine if an equation is a linear function. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of a line. I can calculate and interpret the initial value from a given situation. I can identify and apply criteria to determine if an equation is a linear function. I can create a function rule to represent the graph of a line. I can calculate and interpret the rate of change from a given situation. I can sketch a graph that shows qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and apply criteria to determine if an equation is a linear function.
whose graph is a straight line; give examples of functions that are not Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can create a function rule to represent the graph of a line. I can calculate and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. I can identify and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can ealculate and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can sketch a graph that shows qualitative features of a described function. I can identify and interpret the initial value from a given situation. I can sketch a graph that shows qualitative features of a described function. I can identify and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function of a function f
Benchmark: Use functions to model relationships between quantities. 4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can calculate and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and i
4. Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can create a function rule to represent the graph of a line. I can claulate and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can create a function rule to represent the graph of a line. I can calculate and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. I can identify and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. I can describe qualitatively the relationship of a function displayed by graph. I can describe qualitatively the relationship of a function displayed by graph. I can describe qualitatively the relationship of a function displayed by graph. I can describe qualitatively the relationship of a function displayed by graph. I can describe qualitatively the relationship of a function displayed by graph. I can describe qualitatively the relationship of a function displayed by graph. I can describe q
quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can calculate and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can identify and interpret the rate of change from a given situation. I can calculate and interpret the rate of change from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. I can identify and interpret the rate of change from a given situation. I can identify and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. I can identify and interpret the initial value from a given situation.
function from a description of a relationship or from two (x, y) values, 5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Can identify and interpret the initial value from a given situation. I can describe qualitatively the relationship of a function displayed by graph. I can sketch a graph that shows qualitative features of a described function. Geometry Domain
5. Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Can describe qualitatively the relationship of a function displayed by graph. In can sketch a graph that shows qualitative features of a described function. Geometry Domain
quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can sketch a graph that shows qualitative features of a described function. I can identify the transformation of a figure and state the coordinate after it has been transformed.
quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can sketch a graph that shows qualitative features of a described function. I can identify the transformation of a figure and state the coordinate after it has been transformed.
or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can sketch a graph that shows qualitative features of a described function. I can sketch a graph that shows qualitative features of a described function. I can sketch a graph that shows qualitative features of a described function. I can sketch a graph that shows qualitative features of a described function. I can sketch a graph that shows qualitative features of a described function. I can sketch a graph that shows qualitative features of a described function.
qualitative features of a function that has been described verbally. Geometry Domain Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can identify the transformation of a figure and state the coordinate after it has been transformed.
Understand congruence and similarity using physical models, transparencies, or geometry software. 1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can identify the transformation of a figure and state the coordinate after it has been transformed.
1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can identify the transformation of a figure and state the coordinate after it has been transformed.
1. Verify experimentally the properties of rotations, reflections, and translations. (8.G.1) DOK 2 I can identify the transformation of a figure and state the coordinate after it has been transformed.
translations. (8.G.1) DOK 2 after it has been transformed.
2. Understand that a two-dimensional figure is congruent to another if I can identify the transformation of one congruent figure on to another
2. Understand that a two-dimensional figure is congruent to another if I can identify the transformation of one congruent figure on to another
2. Understand that a two-dimensional figure is congruent to another if I can identify the transformation of one congruent figure on to another
2. Understand that a two-dimensional figure is congruent to another if 1 can identify the transformation of one congruent figure on to another
the second and he alteriard from the first harmonic fortains
the second can be obtained from the first by a sequence of rotations,
3. Describe the effect of dilations, translations, rotations, and I can identify the coordinates of a figure after transformations.
reflections on two-dimensional figures using coordinates. (8.G.3) DOK
4. Understand that a two-dimensional figure is similar to another if the I can determine the transformations between similar figures.
second can be obtained from the first by a sequence of rotations,
5. Use informal arguments to establish facts about the angle sum and I can investigate the relationships between interior and exterior ang
exterior angle of triangles, about the angles created when parallel lines of a triangle.
are cut by a transversal, and the angle-angle criterion for similarity of I can identify and classify parallel line angle relationships.
triangles. For example, arrange three copies of the same triangle so that
Understand and apply the Pythagorean Theorem.
6. Explain a proof of the Pythagorean Theorem and its converse. I can construct a proof of the Pythagorean Theorem and its converse
(8.G.6) DOK 2,3
7. Apply the Pythagorean Theorem to determine unknown side lengths I can calculate the missing side of a right triangle using the Pythagor
in right triangles in real-world and mathematical problems in two and Theorem.
three dimensions. (8.G.7) DOK 1,2
8. Apply the Pythagorean Theorem to find the distance between two I can use Pythagorean Theorem to solve a problem in a coordinate
points in a coordinate system. (8.G.8) DOK 1,2
Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres.
9. Know the formulas for the volumes of cones, cylinders, and spheres I can identify and apply the volume formulas to solve problems.
and use them to solve real-world and mathematical problems. (8.G.9)
DOK 1,2
Statistics and Probability Domain
Investigate patterns of association in bivariate data.
Construct and interpret scatter plots for bivariate measurement data I can create and analyze a scatter plot of two data sets.
o i
2. Know that straight lines are widely used to model relationships I can construct and interpret a line of best fit between two sets of da
between two quantitative variables. For scatter plots that suggest a
linear association, informally fit a straight line, and informally assess
the model fit by judging the closeness of the data points to the line.
(8.SP.2) DOK 1,2

3. Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height. (8.SP.3) DOK 1,2

I can develop linear equations and apply slope to solve real world problems.

4. Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. (8.SP.4) DOK 1,2,3

I can construct and analyze tables summarizing sets of data.

Standards of Mathematical Practice

Make sense of problems and persevere in solving them.
Reason abstractly and quantitatively.
Construct viable arguments and critique the reasoning of others.
Model with mathematics.
Use appropriate tools strategically.
Attend to precision.
Look for and make use of structure.
Look for and express regularity in repeated reasoning.